

Page 1/14

Printing date 02/27/2024

Reviewed on 02/23/2024

1 Identification

· Product identifier

· Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

· Article number: 1413

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:
HIGH TECK PRODUCTS
PO BOX 24631
WEST PALM BEACH, FLORIDA 33416
USA
877-900-8325
info@highteckproducts.com

- · Information department: Product safety department
- Emergency telephone number: 800 424-9300 (Chemtrec)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carcinogenicity 2

H351 Suspected of causing cancer. Route of exposure: Inhalation.



GHS07

Eye Irritation 2A

H319 Causes serious eye irritation.

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Printing date 02/27/2024 Reviewed on 02/23/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

(Contd. of page 1)

· Hazard pictograms







GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

4-chloro-alpha, alpha, alpha-trifluorotoluene

n-butyl acetate

acetone

titanium dioxide

bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer. Route of exposure: Inhalation.

May cause drowsiness or dizziness.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2024 Reviewed on 02/23/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

· HMIS-ratings (scale 0 - 4)

HEALTH 2
FIRE 3
Fire = 3
REACTIVITY 0
Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	· Dangerous components:			
123-86-4	n-butyl acetate	10-25%		
110-43-0	heptan-2-one	10-25%		
98-56-6	4-chloro-alpha,alpha,alpha-trifluorotoluene	2.5-10%		
67-64-1	acetone	2.5-10%		
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	0-10%		
13463-67-7	titanium dioxide	≤2.5%		
100-41-4	ethylbenzene	≤2.5%		
41556-26-7	bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate	≤2.5%		

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)

Printing date 02/27/2024 Reviewed on 02/23/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

(Contd. of page 3)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

123-86-4	n-butyl acetate	5 ppm
110-43-0	heptan-2-one	150 ppm
67-64-1	acetone	200 ppm
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	9.3 mg/m³
13463-67-7	titanium dioxide	30 mg/m³
1330-20-7	xylene	130 ppm
100-41-4	ethylbenzene	33 ppm
108-38-3	m-xylene	130 ppm
71-36-3	butan-1-ol	60 ppm
122-99-6	2-phenoxyethanol	1.5 ppm
77-58-7	dibutyltin dilaurate	1.1 mg/m³
108-65-6	2-methoxy-1-methylethyl acetate	50 ppm
14808-60-7	Quartz (SiO2)	0.075 mg/n
57-55-6	Propylene glycol	30 mg/m³
78-83-1	butanol	150 ppm
PAC-2:		
123-86-4	n-butyl acetate	200 ppm
110-43-0	heptan-2-one	670 ppm
67-64-1	acetone	3200* ppm
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	100 mg/m³
13463-67-7	titanium dioxide	330 mg/m³
1330-20-7	xylene	920* ppm
100-41-4	ethylbenzene	1100* ppm
108-38-3	m-xylene	920 ppm
71-36-3	butan-1-ol	800 ppm
122-99-6	2-phenoxyethanol	16 ppm

Printing date 02/27/2024 Reviewed on 02/23/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

		(Contd. of page
77-58-7	dibutyltin dilaurate	8 mg/m³
108-65-6	2-methoxy-1-methylethyl acetate	1,000 ppm
14808-60-7	Quartz (SiO2)	33 mg/m³
57-55-6	Propylene glycol	1,300 mg/m
78-83-	l butanol	1,300 ppm
PAC-3:		
123-86-4	1 n-butyl acetate	3000* ppm
110-43-0	heptan-2-one	4000* ppm
67-64-	1 acetone	5700* ppm
2530-83-8	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	230 mg/m³
13463-67-	titanium dioxide	2,000 mg/m
1330-20-7	7 xylene	2500* ppm
100-41-4	t ethylbenzene	1800* ppm
108-38-3	m-xylene	2500* ppm
71-36-3	B butan-1-ol	8000** ppm
122-99-0	2-phenoxyethanol	97 ppm
77-58-7	dibutyltin dilaurate	48 mg/m³
108-65-6	2-methoxy-1-methylethyl acetate	5000* ppm
14808-60-7	Quartz (SiO2)	200 mg/m³
57-55-6	Propylene glycol	7,900 mg/m
78-83-	butanol	8000* ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 6)

Printing date 02/27/2024 Reviewed on 02/23/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

(Contd. of page 5)

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

123-86-4 n-butyl acetate

PEL Long-term value: 710 mg/m³, 150 ppm REL Short-term value: 950 mg/m³, 200 ppm Long-term value: 710 mg/m³, 150 ppm

TLV Short-term value: 150 ppm Long-term value: 50 ppm

110-43-0 heptan-2-one

PEL Long-term value: 465 mg/m³, 100 ppm REL Long-term value: 465 mg/m³, 100 ppm

TLV Long-term value: 50 ppm

67-64-1 acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm REL Long-term value: 590 mg/m³, 250 ppm

TLV Short-term value: 500 ppm Long-term value: 250 ppm

A4, BEI

100-41-4 ethylbenzene

PEL Long-term value: 435 mg/m³, 100 ppm REL Short-term value: 545 mg/m³, 125 ppm Long-term value: 435 mg/m³, 100 ppm

TLV Long-term value: 20 ppm OTO, BEI, A3

Ingredients with biological limit values:

67-64-1 acetone

BEI 25 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

100-41-4 ethylbenzene

BEI 0.15 g/g creatinine

Medium: urine

Time: end of shift at end of workweek

Parameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 7)

Printing date 02/27/2024 Reviewed on 02/23/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

(Contd. of page 6)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Color: Orange

Odor: Product specificOdor threshold: Not determined.

· **pH-value:** Not determined (pH N/A in solvent coatings)

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 124-128 °C (255.2-262.4 °F)

• Flash point: <-18 °C (<-0.4 °F)

· Flammability (solid, gaseous): Highly flammable.

· Auto igniting: 370 °C (698 °F)
· Decomposition temperature: Not determined.

• Ignition temperature: Product is not selfigniting.

• Danger of explosion: Product is not explosive. However, formation of explosive air/

vapor mixtures are possible.

(Contd. on page 8)

Printing date 02/27/2024 Reviewed on 02/23/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

	(Contd.	. of pa
Explosion limits:		
Lower:	1 Vol %	
Upper:	7.5 Vol %	
Vapor pressure at 20 °C (68 °F):	10.7 hPa (8 mm Hg)	
Vapor pressure at 50 °C (122 °F):	55 hPa (41.3 mm Hg)	
Density at 20 °C (68 °F):	1.0787 g/cm³ (9.0018 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wa	nter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	36.3 %	
VOC content:	31.39 %	
	369.3 g/l / 3.08 lb/gal	
Solids content:	56.5 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification	· LD/LC50	values	that are	relevant fo	r class	ificatio	1:
---	-----------	--------	----------	-------------	---------	----------	----

110-43-0 heptan-2-one

Oral LD50 1,670 mg/kg (rat)
Dermal LD50 12,600 mg/kg (rabbit)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.

(Contd. on page 9)

Printing date 02/27/2024 Reviewed on 02/23/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

(Contd. of page 8)

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (Inter	national Agency for Research on Cancer)	
98-56-6	4-chloro-alpha,alpha,alpha-trifluorotoluene	2B
13463-67-7	titanium dioxide	2B
1330-20-7	xylene	3
100-41-4	ethylbenzene	2B
95-47-6	o-xylene	3
106-42-3	p-xylene	3
108-38-3	m-xylene	3
14808-60-7	Quartz (SiO2)	1
· NTP (Natio	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

USA

Printing date 02/27/2024 Reviewed on 02/23/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

(Contd. of page 9)

14 Transport information · UN-Number · DOT, IMDG, IATA UN1263 · UN proper shipping name Paint **PAINT** · IMDG, IATA · Transport hazard class(es) · DOT 3 Flammable liquids · Class ·Label · IMDG, IATA 3 Flammable liquids · Class · Label · Packing group · DOT, IMDG, IATA Ш · Environmental hazards: Not applicable. · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-E · Stowage Category В · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L · IMDG · Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 1263 PAINT, 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 11)

Reviewed on 02/23/2024

Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

Sara	(Contd. of page
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
1330-20-7 xylene	
100-41-4 ethylbenzene	
95-47-6 o-xylene	
106-42-3 p-xylene	
108-38-3 m-xylene	
71-36-3 butan-1-ol	
122-99-6 2-phenoxyethanol	
TSCA (Toxic Substances Control Act):	
123-86-4 n-butyl acetate	ACTIV
110-43-0 heptan-2-one	ACTIV
98-56-6 4-chloro-alpha,alpha,alpha-trifluorotoluene	ACTIV
67-64-1 acetone	ACTIV
2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane	ACTIV
13463-67-7 titanium dioxide	ACTIV
1330-20-7 xylene	ACTIV
100-41-4 ethylbenzene	ACTIV
95-47-6 o-xylene	ACTIV
106-42-3 p-xylene	ACTIV
108-38-3 m-xylene	ACTIV
64742-47-8 Distillates (petroleum), hydrotreated light	ACTIV
41556-26-7 bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate	ACTIV
71-36-3 butan-1-ol	ACTIV
122-99-6 2-phenoxyethanol	ACTIV
82919-37-7 methyl 1,2,2,6,6-pentamethyl-4-piperidylsebacate	ACTIV
77-58-7 dibutyltin dilaurate	ACTIV
108-65-6 2-methoxy-1-methylethyl acetate	ACTIV
14808-60-7 Quartz (SiO2)	ACTIV
57-55-6 Propylene glycol	ACTIV
78-83-1 butanol	ACTIV
Hazardous Air Pollutants	-
1330-20-7 xylene	
100-41-4 ethylbenzene	
95-47-6 o-xylene	
106-42-3 p-xylene	
108-38-3 m-xylene	
Proposition 65	
Chemicals known to cause cancer:	
98-56-6 4-chloro-alpha,alpha,alpha-trifluorotoluene	
13463-67-7 titanium dioxide	
100-41-4 ethylbenzene	

Printing date 02/27/2024 Reviewed on 02/23/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

(Contd. of page 11) 14808-60-7 Quartz (SiO2) · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) 67-64-1 acetone 1330-20-7 xylene 1 100-41-4 ethylbenzene D 95-47-6 o-xylene 106-42-3 p-xylene 108-38-3 m-xylene 1 71-36-3 butan-1-ol D · TLV (Threshold Limit Value) 67-64-1 acetone Α4 A4 13463-67-7 titanium dioxide 1330-20-7 xylene Α4 100-41-4 ethylbenzene А3 A4 95-47-6 o-xvlene 106-42-3 p-xylene A4 108-38-3 m-xylene Α4 77-58-7 dibutyltin dilaurate Α4 14808-60-7 Quartz (SiO2) A2 · NIOSH-Ca (National Institute for Occupational Safety and Health) 13463-67-7 titanium dioxide 14808-60-7 Quartz (SiO2)

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







· Signal word Danger

· Hazard-determining components of labeling:

4-chloro-alpha, alpha, alpha-trifluorotoluene n-butyl acetate acetone titanium dioxide

bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate

(Contd. on page 13)

Printing date 02/27/2024 Reviewed on 02/23/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

(Contd. of page 12)

· Hazard statements

Highly flammable liquid and vapor.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer. Route of exposure: Inhalation.

May cause drowsiness or dizziness.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Product Safety Dept.
- · Date of preparation / last revision 02/27/2024
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, ÉU)

LC50: Lethal concentration, 50 percent

(Contd. on page 14)

Printing date 02/27/2024 Reviewed on 02/23/2024

Trade name: 1413 ALLIS CHALMERS ORANGE SINGLE STAGE

(Contd. of page 13)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1 Carcinogenicity 2: Carcinogenicity - Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

USA